Brain Research, 525 (1990) 339–340
Elsevier

Author Index

Abercrombie, E.D., Bonatz, A.E. and Zigmond, M.J., Effects of L-DOPA on extracellular dopamine in striatum of normal and 6-hydroxydopamine-treated rats, 36
Abrous, D.N., Stinus, L., Le Moal, M. and Herman, J.P., Intra-accumbens implants of embryonic dopaminergic neurons reverse the behavioral supersensitivity to opiates evoked by lesion of the mesolimbic dopaminergic pathway, 155
Agopyan, N. and Krnjević, K., Muscarinic actions in hippocampus are probably not mediated by cyclic GMP, 294
Akaike, N., see Murase, K., 84
Alam, Md.N. and Mallick, B.N., Differential acute influence of medial and lateral preoptic areas on sleep–wakefulness in freely moving rats, 242
Allan, M.D., see Gould, E., 327
Aoki, E., Semba, R., Seto-Ohshima, A., Heizmann, C.W. and Kashiwamata, S., Coexistence of parvalbumin and glycine in the rat brainstem, 140
Araujo, D.M., see Lapchak, P.A., 249
Armbrecht, H.J., see Strong, R., 126
Attal, N., Kayser, V. and Guilbaud, G., The bidirectional dose-dependent effect of systemic naloxone is also related to the intensity and duration of pain-related disorders: a study in a rat model of peripheral mononeuropathy, 170
Augustine, G.J., see Charlton, M.P., 133

Barret, J.A., Edinger, H. and Siegel, A., Intrahypothalamic injections of norepinephrine facilitate feline affective aggression via α_2-adrenoceptors, 285
Bartrup, J.T. and Stone, T.W., Inhibition of adenosine responses of rat hippocampal neurones by nifedipine and BAYK 8644, 315
Bates, V.E., see Meyerhoff, J.L., 144
Baumeister, A.A., Nagy, M., Hebert, G., Hawkins, M.F., Vaughn, A. and Chatellier, M.O., Further studies of the effects of intranigral morphine on behavioral responses to noxious stimuli, 115
Beaudet, A., see Lapchak, P.A., 249
Becker, T., see Kumar, A.M., 78
Berkley, K.J., see Bull, M.S., 1
Birchem, R., see Mitchen, F.A., 267
Bittman, E.L., see Silver, R., 45
Bonatz, A.E., see Abercrombie, E.D., 36
Boulis, N.M. and Davis, M., Blockade of the spinal excitatory effect of cAMP on the startle reflex by intrathecal administration of the isoquinoline sulfonamide H-8: comparison to the protein kinase C inhibitor H-7, 198
Bowling, D.B. and Caverhill, J.I., Three-dimensional form and a simple, interrupted flat map of a single layer in the lateral geniculate nucleus of the cat, 21
Bull, M.S., Mitchell, S.K. and Berkley, K.J., Convergent inputs to the inferior olive from the dorsal column nuclei and pretectum in the cat, 1

Caverhill, J.I., see Bowling, D.B., 21
Charlton, M.P. and Augustine, G.J., Classification of presynaptic calcium channels at the squid giant synapse: neither T-, L- nor N-type, 133
Chatellier, M.O., see Baumeister, A.A., 115
Cheetham, S.C., see De Paermentier, F., 71
Chiasson, B.J., see Croll, R.P., 101
Clement, M.E. and McCall, R.B., Studies on the site and mechanism of the sympathetic action of 8-OH DPAT, 232
Collins, J.G., Ren, K., Saito, Y., Iwasaki, H. and Tang, J., Plasticity of some spinal dorsal horn neurons as revealed by pentobarbital-induced disinhibition, 189
Crain, S.M., see Shen, K.-F., 225
Croll, R.P. and Chiasson, B.J., Distribution of catecholamines and of immunoreactivity to substances like vertebrate enzymes for the synthesis of catecholamines within the central nervous system of the snail, *Lymnaea stagnalis*, 101
Crompton, W.R., see De Paermentier, F., 71
Crutcher, K.A., see Saffran, B.N., 11

Davis, M., see Boulis, N.M., 198
Delgado-Lezama, R. and Muñoz-Martínez, E.J., The influence of peripheral connections on wallerian degeneration, 152
De Paermentier, F., Cheetham, S.C., Crompton, W.R., Katona, C.L.E. and Horton, R.W., Brain β-adrenoceptor binding sites in antidepressant-free depressed suicide victims, 71
Dinger, B., see Gomez-Niño., 160
Dow, K.E., see Riopelle, R.J., 92
Dowe, G.H.C., see Fox, G.Q., 59
Dudkin, S.M., Polev, P.V. and Soldatov, N.M., Calcium entry blockers and oxiracetam have opposite effects on the density of dihydropyridine receptors in rat cerebral cortex, 319
Duman, R.S., see Hayward, M.D., 256

Edinger, H., see Barrett, J.A., 285
Emson, P.C., see Kiyama, H., 209
Eusebi, F., see Tancredi, V., 149

Fidone, S.J., see Gomez-Niño, A., 160
Fox, G.Q., Kötting, D. and Dowe, G.H.C., A morphometric analysis of isolated *Torpedo* electric organ synaptic vesicles following stimulation, 59

Gargini, C., see Pellegrino, M., 322
Gibson, M., see Silver, R., 45
Gilad, G.M., Gilad, V.H., Wyatt, R.J. and Tizabi, Y., Region-selective stress-induced increase of glutamate uptake and release in rat forebrain, 335
Gilad, V.H., see Gilad, G.M., 335
Gladstone, W.R., see Silver, R., 45
Gomez-Niño, A., Dinger, B., Gonzalez, C. and Fidone, S.J., Differential stimulus coupling to dopamine and norepinephrine stores in rabbit carotid body type I cells, 160
Gonzalez, C., see Gomez-Niño, A., 160
Gould, E., Allan, M.D. and McEwen, B.S., Dendritic spine density of adult hippocampal pyramidal cells is sensitive to thyroid hormone, 327
Guilbaud, G., see Attal, N., 170

Haberly, L.B., see Kanter, E.D., 175
Hale, C., see Strong, R., 126
Haney, M., see Kumar, A.M., 78
Happe, H.K. and Murrin, L.C., Tritium quench in autoradiography during postnatal development of rat forebrain, 28
Hawkins, M.F., see Baumeister, A.A., 115
Hayward, M.D., Duman, R.S. and Nestler, E.J., Induction of the *c-fos* proto-oncogene during opiate withdrawal in the locus coeruleus and other regions of rat brain, 256
Hebert, G., see Baumeister, A.A., 115
Heizmann, C.W., see Aoki, E., 140
Herman, J.P., see Abrous, D.N., 155
Horton, R.W., see De Paermentier, F., 71

Iwasaki, H., see Collins, J.G., 189

Juhász, G., see Pungor, K., 310

Kanter, E.D. and Haberly, L.B., NMDA-dependent induction of long-term potentiation in afferent and association fiber systems of piriform cortex in vitro, 175
Kashiwamata, S., see Aoki, E., 140
Katona, C.L.E., see De Paermentier, F., 71
Kayser, V., see Attal, N., 170
Kékesi, K., see Pungor, K., 310
King, A., see Shouse, M.N., 215
King, K., see Shouse, M.N., 215
Kiyama, H., Seto-Ohshima, A. and Emson, P.C., Calbindin D_{28K} as a marker for the degeneration of the striatonigral pathway in Huntington's disease, 209
Kötting, D., see Fox, G.Q., 59
Kream, R.M., see Kumar, A.M., 78
Krnjević, K., see Agopyan, N., 294
Kubek, M.J., see Meyerhoff, J.L., 144
Kumar, A.M., Haney, M., Becker, T., Thompson, M.L., Kream, R.M. and Miczek, K., Effect of early exposure to δ-9-tetrahydrocannabinol on the levels of opioid peptides, gonadotropin-releasing hormone and substance P in the adult male rat brain, 78
Lam, D.M.-K., see Li, H.-B., 304
Langer, J., see Shouse, M.N., 215

Lapchak, P.A., Araujo, D.M., Quirion, R. and Beaudet, A., Chronic estradiol treatment alters central cholinergic function in the female rat: effect on choline acetyltransferase activity, acetylcholine content, and nicotinic autoreceptor function, 249
Lehman, M.N., see Silver, R., 45
Le Moal, M., see Abrous, D.N., 155
Li, H.-B., Watt, C.B. and Lam, D.M.K., Double-label analyses of somatostatin's coexistence with enkephalin and gamma-aminobutyric acid in amacrine cells of the chicken retina, 304
Logan, S.D., see Spanswick, D., 181

Mallick, B.N., see Alam, Md.N., 242
McCall, R.B., see Clement, M.E., 232
McEwen, B.S., see Gould, E., 327
Meyerhoff, J.L., Bates, V.E. and Kubek, M.J., Elevated TRH levels in pyriform cortex after partial and fully generalized kindled seizures, 144
Miczek, K., see Kumar, A.M., 78
Mitchell, S.K., see Bull, M.S., 1
Mithen, F.A. and Birchem, R., Effects of A23187 in cultures containing only rat Schwann cells and sensory neurons, 267
Mohri, M., see Nishimura, S., 165
Moore, M.A., see Strong, R., 126
Mori, M., see Nishimura, S., 165
Morinaka, S., The influence of daily electrical stimulation of the amygdala on optokinetic nystagmus in rabbits, 205
Muñoz-Martínez, E.J., see Delgado-Lezama, R., 152
Murase, K., Randic, M., Shirasaki, T., Nakagawa, T. and Akaike, N., Serotonin suppresses *N*-methyl-D-aspartate responses in acutely isolated spinal dorsal horn neurons of the rat, 84
Murphy, A.D., An identified pleural ganglion interneuron inhibits patterned motor activity in the buccal ganglia of the snail, *Helisoma*, 300
Murrin, L.C., see Happe, H.K., 28

Nagy, M., see Baumeister, A.A., 115
Nakagawa, T., see Murase, K., 84
Nestler, E.J., see Hayward, M.D., 256
Nishimura, S., Mohri, M., Okada, Y. and Mori, M., Excitatory and inhibitory effects of adenosine on the neurotransmission in the hippocampal slices of guinea pig, 165

Okada, Y., see Nishimura, S., 165

Papp, M., see Pungor, K., 310
Pellegrini, M., see Pellegrino, M., 322
Pellegrino, M., Pellegrini, M., Simoni, A. and Gargini, C., Stretch-activated cation channels with large unitary conductance in leech central neurons, 322
Polev, P.V., see Dudkin, S.M., 319
Preston, J.E. and Segal, M.B., The steady-state amino acid fluxes across the perfused choroid plexus of the sheep, 275
Pritz, M.B. and Stritzel, M.E., A different type of vertebrate thalamic organization, 330
Pungor, K., Papp, M., Kékesi, K. and Juhász, G., A novel effect of MPTP: the selective suppression of paradoxical sleep in cats, 310

Quirion, R., see Lapchak, P.A., 249

Randic, M., see Murase, K., 84
Ren, K., see Collins, J.G., 189
Richardson, A., see Strong, R., 126
Richkind, M., see Shouse, M.N., 215
Riopelle, R.J. and Dow, K.E., Functional interactions of neuronal heparan sulphate proteoglycans with laminin, 92

Saffran, B.N. and Crutcher, K.A., NGF-induced remodeling of mature uninjured axon collaterals, 11
Saito, Y., see Collins, J.G., 189
Santoni, A., see Tancredi, V., 149
Scornik, F., Szczupak, L., Siri, L.N. and Uchitel, O.D., Ca^{2+} role on the effect of phorbol esters on the spontaneous quantal release of neurotransmitter at the mouse neuromuscular junction, 280
Segal, M.B., see Preston, J.E., 275
Semba, R., see Aoki, E., 140
Seto-Ohshima, A., see Aoki, E., 140
Seto-Ohshima, A., see Kiyama, H., 209
Shen, K.-F. and Crain, S.M., Cholera toxin-A subunit blocks opioid excitatory effects on sensory neuron action potentials indicating mediation by Gs-linked opoid receptors, 225
Shirasaki, T., see Murase, K., 84
Shouse, M.N., King, A., Langer, J., Vreeken, T., King, K. and Richkind, M., The ontogeny of feline temporal lobe epilepsy: kindling a spontaneous seizure disorder in kittens, 215
Siegel, A., see Barrett, J.A., 285
Silver, R., Lehman, M.N., Gibson, M., Gladstone, W.R. and Bittman, E.L., Dispersed cell suspensions of fetal SCN restore circadian rhythmicity in SCN-lesioned adult hamsters, 45
Simoni, A., see Pellegrino, M., 322
Siri, L.N., see Scornik, F., 280
Soldatov, N.M., see Dudkin, S.M., 319
Spanswick, D. and Logan, S.D., Sympathetic preganglionic neurones in neonatal rat spinal cord in vitro: electrophysiological characteristics and the effects of selective excitatory amino acid receptor agonists, 181
Stinus, L., see Abrous, D.N., 155
Stone, T.W., see Bartrup, J.T., 315
Stritzel, M.E., see Pritz, M.B., 330
Strong, R., Moore, M.A., Hale, C., Wessels-Reiker, M., Armbrecht, H.J. and Richardson, A., Modulation of tyrosine hydroxylase gene expression in the rat adrenal gland by age and reserpine, 126
Szczupak, L., see Scornik, F., 280
Tancredi, V., Zona, C., Velotti, F., Eusebi, F. and Santoni, A., Interleukin-2 suppresses established long-term potentiation and inhibits its induction in the rat hippocampus, 149

Tang, J., see Collins, J.G., 189
Thompson, M.L., see Kumar, A.M., 78
Tizabi, Y., see Gilad, G.M., 335

Uchitel, O.D., see Scornik, F., 280

Vaughn, A., see Baumeister, A.A., 115
Velotti, F., see Tancredi, V., 149
Vreeken, T., see Shouse, M.N., 215

Watt, C.B., see Li, H.-B., 304
Wessels-Reiker, M., see Strong, R., 126
Wyatt, R.J., see Gilad, G.M., 335

Zigmond, M.J., see Abercrombie, E.D., 36
Zona, C., see Tancredi, V., 149